
AG360/WB AG360 WALL / WINDOW MOUNT BRACKET

AG360 Series T-Bar Antenna and Wall / Glass mount Bracket (Please refer to the AG360 Datasheet for performance details)



Kit Contents

- 1. 1x Plastic 'T' Moulding with AG360 Antenna fitted
- 2. 1x Plastic mounting flange
- 3. 2x 2.5mm x 100mm cable ties fitted
- 4. 1x Surface cleaning sachets (alcohol wipe)
- 5. 2x Wall plugs and screws (for Wall Mounting)
- 6. 1x Double sided adhesive pad (for Window Mounting)
- 7. 1x Mounting instructions

Physical Data

Material: Glass reinforced Nylon - Bracket

PVC (Type TI2/TM2) - AG360 Antenna

Gross Dimensions: 135mm x 90mm x 70mm

Mounting: Wall Mount Bracket or Window Adhesive Mount

Operating Temp: -40 °C to +85 °C

The above data is to be used as baseline information only. For a more detailed specification, application support or application approval samples, please contact our technical support help desk on +44(0) 2392 327 020. We reserve the right to modify the specifications without prior notice.



AG360

Glass Mount Antenna



DESCRIPTION

Waterproof / Flexible Multi-Band Dipole Antenna

APPLICATION

GSM850 GSM900 GSM1800 GSM1900 UMTS 2.1GHz (3G)

KEY FEATURES

Multi-Band Dipole PCB Antenna

Frequency: GSM850

GSM900 GSM1800 GSM1900

UMTS 2.1GHz (3G)

Gain: 2dBi

VSWR: Less than 2:1 in all bands

Impedance: 50Ω

Physical Data

Gross Dimensions: 131mm x 12mm x 4mm

Black PVC (Type TI2/TM2) plastic

Mounting: Double-sided adhesive pad, 0.8mm

thick

Operating Temp: -40°C to +85°C **Water Resistance:** Meets IP67

Cable: RG174 – Specified length (-0mm,


+100mm)

Connectors: FME (f) Nickel-plated brass

crimp type



FURTHER INFORMATION



WANT TO KNOW MORE...

FOR MORE INFORMATION ON OUR FULL EXTENSIVE RANGE OF ANTENNAS CABLES & ACCESSORY PRODUCTS PLEASE CALL OUR SALES TEAM ON 01420 470615 OR EMAIL rf@armourauto.com

CTi - Woolmer Way, Bordon, Hampshire. GU35 9QE - Tel - 01420 476767 Fax - 01420 477137